



Eco-Smart, Inc.

TOLL FREE: (888)329-2705 FAX: (941)377-9460 info@eco-smart.com

LED High Output Flood Lights






Featuring US made Cree LED light source, highly efficient LED Flood Lights replace conventional halogen and incandescent flood lights for many applications. Energy and money saving light source produces minimal heat and no UV or IR light radiation. Fixtures are weather proof (IP65) and redefine low maintenance with a 50,000 hour lamp life and a three year warranty. The fixtures have UL listings for the U.S., and ULC for Canada.

Existing Halogen and Incandescent High Output Fixtures can now be efficiently retrofitted for LED. Contact Eco-Smart to learn how you can save energy and money by replacing inefficient light sources with LED. Visit www.eco-smart.com to learn more.

LED High Output Flood Lights

10 Watt LED High Output Flood



LTLED-LEDFX-FL10W

Light source: LED

Power: 10W

Voltage: 100-240V AC OR 12V/24V DC

Power factor(PF): >0.9

Light efficiency: >60lm/w

Lumens: >600LM

No UV or IR light radiation

Fixture efficiency: >90%

View angle: 120°

Color instruction: >80

Color temperature(CCT): 2700-7000K

Life time: >50,000 hrs

IP grade: IP65

Net weight: 0.7 kg

Dimension of the product: 125*96*87mm

Dimension of the external box: 31*55*20cm

Working Temperature Arrange: -20°C~+65°C




Quantity (PCS): 20 pcs in a carton

Cree U.S. made LED

3 year warranty

LED High Output Flood Lights

30 Watt LED High Output Flood



LTLED-LEDFX-FL30W-1

Light source: LED

Power: 30W

Voltage: 100-240V AC OR 12V/24V DC/(50-60HZ)

Power factor(PF): >0.9

Light efficiency: >60lm/w

Lumens: >1800LM

No UV or IR light radiation

Fixture efficiency: >90%

View angle: 90°

Color instruction: >80

Color temperature(CCT): 2700-7000K

Life time: >50,000 hrs

IP grade: IP65

Net weight: 2.5 kg

Dimension of the product: 225*185*130mm

Dimension of the external box: 56.5*34.5*26mm

Working Temperature Arrange: -20°C~+65°C




Quantity (PCS): 4 pcs in a carton

Cree U.S. made LED

3 year warranty

LED High Output Flood Lights

30 Watt LED High Output Flood



LTLED-LEDFX-FL30W-2

Light source: LED

Power: 30W

Work voltage: AC(85V-265V)/(50-60HZ) OR 12V/24V DC

Power factor(PF): >0.9

Light efficiency: >60lm/w

Lumens: >1800LM

No UV or IR light radiation

Fixture efficiency: >90%

View angle: 140°

Color instruction: >80

Color temperature(CCT): 2700-7000K

Life time: >50,000 hrs

IP grade: IP65

Net weight: 2.5 kg

Dimension of the product: 225*185*130mm

Dimension of the external box: 56.5*34.5*26cm

Working Temperature Arrange: -20°C~+65°C




Quantity (PCS): 4 pcs in a carton

Cree U.S. made LED

3 year warranty

LED High Output Flood Lights

50 Watt LED High Output Flood



LTLED-LEDFX-FL50W-1

Light source: LED

Power: 50W

Voltage: AC(85V-265V)/(50-60HZ) OR 12V/24V DC

Power factor(PF): >0.9

Light efficiency: >60lm/w

Lumens: >3000LM

No UV or IR light radiation

Fixture efficiency: >90%

View angle: 90°

Color instruction: >80

Color temperature(CCT): 2700-7000K

Life time: >50,000 hrs

IP grade: IP65

Net weight: 3.5 kg

Dimension of the product: 287*236*160mm

Dimension of the external box: 65.5*38*29cm

Working Temperature Arrange: -20°C~+65°C




Quantity (PCS): 4 pcs in a carton

Cree U.S. made LED

3 year warranty

LED High Output Flood Lights

50 Watt LED High Output Flood



LTLED-LEDFX-FL50W-2

Light source: LED

Power: 50W

Work voltage: AC(85V-265V)/(50-60HZ) OR 12V/24V DC

Power factor(PF): >0.9

Light efficiency: >60lm/w

Lumens: >3000LM

No UV or IR light radiation

Fixture efficiency: >90%

View angle: 140°

Color instruction: >80

Color temperature(CCT): 2700-7000K

Life time: >50,000 hrs

IP grade: IP65

Net weight: 3.5 kg

Dimension of the product: 287*236*160mm

Dimension of the external box: 65.5*38*29cm

Working Temperature Arrange: -20°C~+65°C




Quantity (PCS): 4 pcs in a carton

Cree U.S. made LED

3 year warranty

LED High Output Flood Lights

50 Watt LED High Output Flood



LTLED-LEDFX-FL70W-1

Light source: LED

Power: 70W

Work voltage: 100-240V AC OR 12V/24V DC/
(50-60HZ)

Power factor(PF): >0.9

Light efficiency: >60lm/w

Lumens: >4200LM

No UV or IR light radiation

Fixture efficiency: >90%

View angle: 130°

Color instruction: >80

Color temperature(CCT): 2700-7000K

Life time: >50,000 hrs

IP grade: IP65

Net weight: 6.5 kg

Dimension of the product: 285*370*115mm

Dimension of the external box: 45*32*30cm

Working Temperature Arrange: -20°C~+65°C

Quantity (PCS): 2 pcs in a carton

Cree U.S. made LED

3 year warranty