

Unique Shapes, Extraordinary Quality

Advanced Pavement Technology (APT) presents two new shapes in permeable pavers for use when implementing the Bio-Aquifer Storm System (BASS™), a superior paving solution that supports stormwater management and business growth.



Eco-Brick™

Dimensions:
Nom. 4½" x 9" x 3⅛"



Aqua-Loc™


Dimensions:
Nom. 4½" x 9" x 3⅛"



When used as part of APT's exclusive BASS™ method, these pavers allow for natural stormwater drainage and groundwater recharge, making the paved surface ecologically sound and economically smart. In fact, the BASS™ method is an acceptable post-structural Best Management Practice (BMP) used to meet the federal stormwater management requirements. Roads and parking lots created using BASS™ with these porous pavers offer vast benefits:

- Meeting EPA stormwater requirements with a superior solution
- Achieving significant savings through enhanced land planning
- Outperforming other systems in harsh climates with freeze/thaw cycles
- Delivering maximum strength to handle heavy vehicular traffic
- Producing remarkable curb appeal and convenient maintenance access
- Providing outstanding results on a 30-year life-cycle cost analysis

Aqua-Loc and Eco-Brick are proprietary shapes, available only from APT. The pavers are manufactured according to ASTM 936 specifications. They can be produced in a variety of custom colors and installed using manual or mechanical methods. The new paver shapes can also be combined during installation to achieve a number of attractive patterns in a permeable system



Ecologically sound. Economically smart. And exclusively from APT.

For more information about the BASS™ program, please contact APT toll-free at (888) 329-2705



Represented by: Eco-\$mart, Inc.
 4411 Bee Ridge Rd. #344, Sarasota, FL 34233
 Toll-free (888) 329-2705 Fax (941) 377-9460
 info@ecosmartinc.com www.eco-smart.com

